cie-group.com





Door Intercom
Installation Accessories





382210 - 382220 - 382230

Single & Dual Height Gooseneck Intercom Posts - Car, Pedestrian & Lorry Height

These robust and reliable Gooseneck Mounting Posts are ideal for mounting Intercom or Access Reader devices at car, pedestrian and lorry height.s.

Specifically tailored for use with the Akuvox and 2N intercom Weather Security Housings, when used in conjunction with adaptor plates listed below.

These single and dual height Gooseneck Posts position the intercom devices at the most effective access heights and are manufactured in highly durable powder-coated steel.

- Helps to provide fast and efficient transport & pedestrian barrier access and exit
- High quality durable gooseneck post
- Mounts both single and two Intercom devices at car/ pedestrian and lorry access heights
- Mounting position heights at 109cm*, 148cm* & 192cm*
- All connection cabling routed inside post

382210 Find out more:



382220 Find out more:



382230 Find out more:



Gooseneck Intercom Post Adaptor Plates

381318GBP	Gooseneck Backplate for Akuvox E18C Weather & Security Housing
R20GBP	Gooseneck Backplate for Akuvox R20A, R20K, A05, E16 & E21 Weather & Security Housing
382912GBP	Gooseneck Backplate for Akuvox X912 Weather & Security Housing
382915GBP	Gooseneck Backplate for Akuvox X915 Weather & Security Housing
382401GBP	Gooseneck Backplate for 2N Solo/Access Weather & Security Housing
382403GBP	Gooseneck Backplate for 2N Verso Weather & Security Housing - 3 Module (Surface mount but requires Flush frame)
382402GBP	Gooseneck Backplate for 2N Verso Weather & Security Housing - 2 Module







Akuvox X912

Vandal-Resistant SIP Video Intercom Digital Keypad, Face Recognition, Bluetooth, RFID & QR Code - IK10





X912 Installation Accessories:



382912

X912 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X912 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



X912FL

X912 Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the Akuvox X912 smart IP intercom into brick, plaster, block walls, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



382912GBPGooseneck Backplate for X912 Weather and Security Housing

Backplate adaptor to attach X912 intercom weather and security housing onto gooseneck stands.







Akuvox S539

IP 10" Touchscreen Smart Door Intercom with Face Recognition, QR Code, RFID, BLE - IK08

Find out more:



S539 Installation Accessories:



382539

S539 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox S539 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



S539FMRC

S539 IP Intercom Flush Mount Rain Cover

Designed for flush-mounting, this rainhood provides additional protection for the Akuvox S539 intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



S539FM

S539 IP Intercom Flush Mount Kit

Provides a secure flush-mount system for the Akuvox S539 IP intercom into brick, plaster, block walls etc.



S539WM

S539 IP Intercom Surface Mount Kit

Provides a secure surface-mount system for the Akuvox S539 IP intercom onto brick, plaster, block walls etc.







Akuvox X915

IP Touchscreen Smart Door Intercom Unit with Face Recognition, QR Code, RFID, BLE - IK10

Find out more:



X915 Installation Accessories:



382915

X915 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X915 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



X915XS

Surface Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure surface-mount system for the Akuvox X915 smart IP intercom to brick, plaster, block walls, etc.



X915XF

Flush Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure flush-mount system for the Akuvox X915 smart IP intercom into brick, plaster, block walls, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



382915GBPGooseneck Backplate for X915

Backplate adaptor to attach X915 intercom weather and security housing onto gooseneck stands.







Akuvox R29 Series

IP Touchscreen Door Intercom with Digital Keypad, Camera, RFID

Find out more:



R29 Installation Accessories:



R29XRH

R29 Intercom Rain Hood

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R29 Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



R29XF

R29 Intercom Flush Mounting Back Box

Designed for use with the Akuvox R29 Series of smart IP Door Intercoms to allow flush mounting in brick, concrete block or plasterboard in-wall installation.



R29XS

R29 Intercom Surface Mounting Kit

Provides a secure surface-mount system for the Akuvox R29 Series of IP intercoms onto brick, plaster, block walls etc.







Akuvox R28A

IP Door Intercom Unit with Colour Display Screen, Numeric Keypad, Camera, RFID - IP65

Find out more:



R28 Installation Accessories:



R27RH

R28 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R28A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



R27R28XF

Flush Mounting Back Box for Akuvox R28 Door Intercom

Provides a secure flush-mount system for the Akuvox R28A IP intercom into brick, plaster, block walls etc.



R27R28XS

Surface Mounting Back Box for Akuvox R28 Door Intercom

Provides a secure surface-mount system for the Akuvox R28A IP intercom onto brick, plaster, block walls etc.







Akuvox R27A

IP Door Intercom with Colour Camera, Keypad & RFID Card Reader

Find out more:



R27 Installation Accessories:



R27RH

R27 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R27A Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



R27R28XF

Flush Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure flush-mount system for the Akuvox R27A IP intercom into brick, plaster, block walls etc.



R27R28XS

Surface Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure surface-mount system for the Auvox R27A IP intercom onto brick, plaster, block walls etc.







Akuvox E18C

IP Access Control Unit & SIP Intercom, Touchscreen, Face Recognition, Bluetooth, RFID & QR Code

Find out more:



E18 Installation Accessories:



381318

E18 Intercom Weather and Security Housing

Designed for surface-mounting, this rainhood housing provides additional protection for the Akuvox E18C intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



E18FM

Flush Mounting Back Box for Akuvox E18

Provides a secure flush-mount system for the Akuvox E18C IP intercom into brick, plaster, block walls etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



381318GBPGooseneck Backplate for E18 Intercom

Backplate adaptor to attach E18C intercom weather and security housing onto gooseneck stands.







Akuvox E16C

IP Access Control Unit & SIP Intercom, Touchscreen, Face Recognition, Bluetooth, RFID & QR Code

Find out more:



E16 Installation Accessories:



E16-A05H

E16 Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox E16C Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



E16-A05W

Flush Mount Back Box for E16 Door Intercom

Designed for in-wall mounting, this rainhood housing provides additional protection for the Akuvox E16C Intercom. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBPGooseneck Backplate for E16 Door Intercom

Backplate adaptor to attach E16C intercom weather and security housing onto gooseneck stands.







Akuvox A05 Series

IP Access Control Reader with Face Recognition, Bluetooth, RFID & QR Code Reader

Find out more:



A05 Installation Accessories:



E16-A05H

A05 Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox A05 Access Reader. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



E16-A05W

Flush Mount Back Box for A05 Access Reader

Designed for in-wall mounting, this housing provides additional protection for the Akuvox A05 Access Reader. Allows the reader to be flush-mounted into brick, block, plasterboard etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBP A05 Access Reader Gooseneck Backplate

Backplate adaptor to attach A05 intercom weather and security housing onto gooseneck stands.







Akuvox R20A Series

Compact IP Door Intercom Unit with 1 Call Button (Video & RFID Card reader)

Find out more:



R20A Installation Accessories:



R₂0AH

R20A Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBPGooseneck Backplate
for R20 Series Door
Intercom

Backplate adaptor to attach R20A intercom weather and security housing onto gooseneck stands.







Akuvox R20B Series

Compact IP Door Intercom Unit with Call Buttons

Find out more:



R20B Installation Accessories:



R₂0KH

R20B Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20B Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



R20KFBB

Flush Mount Backbox for R20B Door Intercoms

Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBPGooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20B intercom weather and security housing onto gooseneck stands.







Akuvox R20K

Compact IP Door Intercom Unit with Keypad (Video & RFID Card reader)





R20K Installation Accessories:



R₂0KH

R20K Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R20K Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



R20KFBB

Flush Mount Backbox for R20K Door Intercom

Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBPGooseneck Backplate
for R20 Series Door
Intercom

Backplate adaptor to attach R20K intercom weather and security housing onto gooseneck stands.







Akuvox E21 Series

Vandal-Resistant IP Door Intercoms





E21 Installation Accessories:



E21H

E21 Intercom Weather & Security Housing, Black

Designed for external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather.



E21E

E21 Intercom Weather & Security Housing, Emergency Orange

Designed for surface-mount, internal & external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather and harsh environments. Bright orange for high visibility/emergency applications.



E21XF

Flush Mounting Back Box for Akuvox E21 Door Intercoms

Provides a secure surface-mount system for the Akuvox E21 series of IP intercoms onto brick, plaster, blockwalls, etc.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



R20GBPGooseneck Backplate for E21 Door Intercom

Backplate adaptor to attach E21 intercom weather and security housing onto gooseneck stands.







Akuvox S567W

10" IP Indoor Touchscreen Answering Panel with WiFi & Bluetooth





S567 Installation Accessories:



ITC567 Desk Stand for S567

Desktop stand for positioning S567W Answering Panel on horizontal surfaces such as a desk or table.







Akuvox S563W

8" IP Indoor Touchscreen Answering Panel with WiFi & Bluetooth

Find out more:



S563 Installation Accessories:



ITC563

Desk Stand for S563

Desktop stand for positioning S563W Answering Panel on horizontal surfaces such as a desk or table.







Akuvox S562W

7" IP Indoor Touchscreen Answering Panel with WiFi





S562 Installation Accessories:



ITC562 Desk Stand for S562

Desktop stand for positioning S562W Answering Panel on horizontal surfaces such as a desk or table.







Akuvox C319 Series

10" IP Indoor Touchscreen Intercom Answering Panel





C319 Installation Accessories:



ITC10

Desk Stand for Akuvox C319

Brushed steel desktop stand with a rubber foot for the Akuvox C319 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







Akuvox IT88 Series

10" IP Indoor Touchscreen Intercom Answering Panel

Find out more:



IT83 Installation Accessories:



ITC10

Desk Stand for Akuvox IT88

Brushed steel desktop stand with a rubber foot for the Akuvox IT88 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







Akuvox X933 Series

7" Touchscreen Door Intercom Answering Panel, Wifi and Bluetooth





X933 Installation Accessories:



ITC933

Desk Stand for Akuvox X933

Brushed steel desktop stand with a rubber foot for the Akuvox X933 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







Akuvox X7HD Series

7" IP Indoor Touchscreen Intercom Answering Panel





X7HD Installation Accessories:



ITC7

Desk Stand for Akuvox X7HD

Steel desktop stand, finsihed in black for the Akuvox X7HD range of door intercom answering panels. The ITC7 stand is a simple and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







Akuvox C315

7" IP Indoor Touchscreen Intercom Answering Panel

Find out more:



C315 Installation Accessories:



ITC7

Desk Stand for Akuvox C315

Steel desktop stand, finsihed in black for the Akuvox C315 range of door intercom answering panels. The ITC7 stand is a simple and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







2N IP Style Series

IP Style - Digital Touchscreen Door Intercom with Bluetooth and RFID

Find out more:



IP Style Installation Accessories:



9157001

IP Style Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the 2N IP Style IP intercom into brick, plaster, block walls etc.



9157002

IP Style Intercom Surface Mounting Back Box

Provides a secure surface-mount system for the 2N IP Style IP intercom onto brick, plaster, block walls etc.



9157003

IP Style Intercom Antibacterial Screen Cover

Providing even greater customer confidence for door entry and access in high traffic areas, this antibacterial screen can be quickly and easily added to pre-installed 2N IP Style devices, providing up to 99% antibacterial protection for the touchscreen interface.







2N IP Verso 2 Module Series

IP Verso Modular Door Intercom

Find out more:



IP Verso 2 Module Installation Accessories:



382402

Verso Intercom Weather & Security Housing - 2 Module

Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercoms camera in bright sunlight. (Requires/compatible with **9155012B**).



9155012B (Black) / 9155012 (Nickel)

IP Verso Door Intercom / Access Unit - Flush Installation Frame - 2 Module

The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.



9155022B (Black) / 9155022 (Nickel)

IP Verso Door Intercom / Access Unit - Surface Installation Frame - 2 Module

The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.



9155072

Verso Door Intercom Wedge Angled Backplate for 2 Modules

The 9155072 is an angled surface-mounting backplate for the 2N Verso range of modular IP and LTE Intercoms.



|382210 - 382220 -|382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



382402GBP Verso Gooseneck Back Plate - 2 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands.







2N IP Verso 3 Module Series

IP Verso Modular Door Intercom

Find out more:



IP Verso 3 Module Installation Accessories:



382403

Verso Intercom Weather & Security Housing - 3 Module

Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight. (Requires flush-mounting frame **9155013B**).



9155013B (Black) / 9155013 (Nickel)

IP Verso Door Intercom / Access Unit - Flush Installation Frame Black -3 Module The 2N 9155013 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additional Module or with 3 x Additional Function Modules.



9155023B (Black) / 9155023 (Nickel)

IP Verso Door Intercom / Access Unit - Surface Installation Frame -3 Module The 2N 9155023 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additional Module or with 3 x Additional Function Modules.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



382403GBP Verso Gooseneck Back Plate - 3 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands.







2N IP Solo Series

IP Solo Door Intercom Unit





IP Solo Installation Accessories:



382401

Solo Weather & Security Housing

Designed for surface-mounting, this rainhood provides additional protection for the 2N IP Solo intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



9155071

Solo Angled Wedge Backplate

The 9155071 is an angled surface-mounting backplate for the 2N Solo range of compact IP Intercoms.



9155074

Solo Intercom Glass Mount

With this glass mount, you can easily mount the 2N IP Solo intercom on a glass surface.



382210 - 382220 -382230

Dual & Single Height Gooseneck Intercom Stands -Car, Pedestrian & Lorry Height

Car, Pedestrian & Lorry mounting posts ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. Finished in black to complement gate and other access areas.



382401GBPGooseneck Back Plate

Backplate adaptor to attach IP Solo weather and security housing onto gooseneck stands.







2N IP Force Series

IP Force Vandal Resistant Door Intercom Unit

Find out more:



IP Force Installation Accessories:

9151005

Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



382230

Single Height Gooseneck Intercom Stand -Pedestrian Height

Pedestrian height intercom stand for mounting access control keypads, readers, and door entry panels. Finished in black to complement surrounding gate and access areas.



382210

Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.





9151007

Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



382220

Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.







2N IP Safety Series

IP Safety Door Intercom Units in high visibility orange

Find out more:



IP Safety Installation Accessories:

9151005

Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



382230

Single Height Gooseneck Intercom Stand -Pedestrian Height

Pedestrian height intercom stand for mounting access control keypads, readers, and door entry panels. Finished in black to complement surrounding gate and access areas.



382210

Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.





9151007

Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



382220

Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

