contacta |



IL-PL20-2: Portable Induction Loop System (1.2m² coverage)

The Contacta IL-PL20-2 Portable Induction Loop System has been designed specifically to aid communication with people with hearing difficulties who wear a hearing aid featuring a 'T' facility. The system consists of two components; the main unit, stylishly constructed from robust ABS plastic, and a plug-in power adaptor.

It incorporates a rechargeable battery system to maintain performance at its peak and will give a minimum of 8 hours use. The battery life is monitored at all times using standby mode, incorporating a two colour display to show battery status. The display also shows that the unit is operational as it flashes in conjunction with any sounds present.

The unit is fully operational at all times and may still be used when recharging becomes necessary. An in-built socket allows for expansion using optional boundary microphones, etc. The IL-PL20 Portable Induction Loop is easy to carry and can be easily set up for use in a matter of seconds.

Features:

- Simple, stylish, robust design
- Lightweight and easy to carry
- · In-built microphone and rechargeable battery
- · Provides a minimum of 8 hours usage
- Battery status & operation LED display
- · Microphone input for optional expansion boundary microphone
- Set-up for use in a matter of seconds





Specifications:

Model:	IL-PL20-2
Internal Microphone	Electret
Connections:	Auxiliary Microphone: 2.5mm Jack plug Power: 2.1mm Jack plug
Controls: Power On	Rocker switch
Output Voltage	12v DC
Battery Life	8 hours (min)
Dimensions	275(W) x 250(H) x 110(D) mm
Weight	1.6kg (including battery)

