

OPEN THE DOOR TO INNOVATION

2N HELIOS IP INTERCOMS, IP ACCESS & IP AUDIO SYSTEMS













CIE-Group is one of the UK's leading AV & security technology distributors, supplying professional integrators with a wide range of high quality brands and innovative audio visual technologies. One of the latest additions to our brand portfolio - 2N Telecommunications - brings a wide range of I.P. connectivity Door Intercom and Audio-over-IP products to the UK market.


The CIE-Group / 2N partnership not only brings great products, but also guarantees unrivalled levels of preand post-sales system and technical support / advice.



"AXIS Group including 2N have a common goal to contribute to a smarter and safer world.

There is an increased customer demand for integrated solutions with open standards that deliver enhanced security. Together with 2N we can meet that demand."

Call us today for details on T. 0115 977 0075 or visit us online at www.cie-group.com/2N



2N° Helios IP Verso

Modular intercom is configurable to meet your needs

Bluetooth technology ensures access control to the facility

Intuitive touch display for outdoor use with up to 2000 contacts in the structured list

Wide-angle HD camera with infrared night vision



Easy integration with IP telephone systems using SIP protocol support

Integration with IP camera systems, VMS, and NVR through ONVIF


2N® Mobile Video calls on your mobile phone

RFID smart card reader with NFC support









2N° Helios IP Force

The toughest IP intercom on the market able to withstand the most demanding conditions

Wide-angle HD camera with infrared light and night vision

10W loudspeaker for excellent audability in loud environments

Integration with IP camera systems through the ONVIF protocol



RFID smart card reader with NFC support and Wiegand interface

Highly durable aluminum housing with an antivandal construction

Video calls on your mobile phone thanks to 2N® Mobile Video

Easy integration with IP telephone systems thanks to SIP protocol support











SCHOOL BUILDING SECURITY

The intercom is able to lock down school entrances according to pre-set time profiles.



SUPPLY ENTRY AND GROUNDS PROTECTION

In logistics areas no service ramp will be left unprotected.



HOME GUARDIAN

Its high durability and the possibility of video recording make the intercom a reliable guardian of any building entrance.

2N° Helios IP Base

Compact IP intercom with wide-angle HD camera

Fast installation

Durable aluminum frame

Excellent audibility in all conditions



Inputs and outputs ready for connecting an electric lock or other equipment


Both one or two buttons options included

Basic model can be extended with a 125 kHz or 13.56 MHz RFID card reader module

Video calls on your mobile phone using 2N® Mobile Video App








VIDEO CALLS ON VARIOUS DEVICES

An Integrated HD camera ensures high quality videocalls on mobile devices, 2N® Indoor Touch or IP telephones.



ACCESS CONTROL SYSTEM

With its RFID card reader, the intercom intercom can serve as a part of your access control system.

2N° Helios IP Vario

Graphics display instead of a large panel of buttons

Easy integration with IP camera systems and access control systems

With 2N Helios IP Vario you can combine LCD screen, call buttons, keypad, RFID card reader, camera, and relays all in one device

Snapshot of the visitor to email



Buttons have an unlimited lifecycle

Easy integration with IP telephone systems thanks to SIP protocol support

Video calls on your mobile phone using 2N® Mobile Video App

Using the extenders you can easily increase the number of buttons up to 54







2N° Helios IP Safety

The most durable IP intercom on the market able to withstand the most demanding conditions

Distinctive orange color, easily recognizable in emergency situations

10W loudspeaker for good audability in loud environments

Easy integration with IP telephone systems using SIP protocol support



Integrates with external IP cameras for video calls

Durable buttons distinctively backlit in blue


Highly durable aluminum housing with an antivandal construction

Tamper switch detecting unauthorized device intrusions









2N® Helios IP Uni

Designed for easy installation

Durable stainless steel cover suitable for outdoor application

Output for lock control



Pictograms signalling the status of the intercom

Tamper switch

Easy integration with IP telephone systems using SIP protocol support






EASY COMMUNICATION IN OFFICES

For services entrances and back stairways in offices where it is necessary to ensure simple, safe communication.

INTERCOM FOR PHARMACIES WITH NIGHT WORK HOURS

An easy and effective system for calling personnel during night hours.







2N° Indoor Touch

Luxury design and high-tech processing

7" touch screen

Audio and video communication in HD quality

Video monitoring of 2N IP intercoms




Video voicemail or visitor's snapshot in case of a missed call

Easy installation and remote administration in large residential apartments

Home automation integration using OS Android support

Support of doorbell button by the apartment or house entrance



2N° Mobile Video


Video calls on your mobile phone

Accept the call anywhere in the world over the internet

Building entrance monitoring

Open the door remotely

Solution for small residential installations as well as for large apartment buildings



Mobile Application available for iOS and Android

Video preview before call pick-up

Easy configuration and remote administration via My2N.com portal

Calling on more devices like 2N® Indoor Touch or IP telephone

Call on more devices at once





2N® Access Unit Bluetooth and RFID

Access card reader embedded in a controller creating a single compact device

Possibility to open doors using a smartphone supporting Bluetooth or NFC

One single cable for both communication and power

With 2N® Access Commander suitable for small installations as well as for extensive systems



Suitable for indoor and outdoor installation

Smart status monitoring with notifications to your email


Together with 2N Helios IP intercoms it creates complex solutions for access control system

Easy integration with camera, attendance and other systems










ATTENDANCE SYSTEM

The access unit works as an easy attendance terminal recording all of your employees' arrivals and departures.



ACCESS VIA SMARTPHONE

With our Bluetooth enabled application you do not have to search for your access card anymore, just approach the card reader with your mobile phone.

2N° Access Commander

Software for access control system configuration and administration

Access via a web interface

Modern design with an intuitive control designed even for an average user

Attendance system for work time evidence




Bulk configuration of 2N Helios IP intercoms and access units from one place

Access records and alarms supplemented by visual record from the intercom

Advanced status monitoring of all connected devices with the notifications

Integration with third party systems using web REST API interface



INTEGRATION WITH MILESTONE XPROTECT VMS

An administrator can watch the video from cameras and manage the access control system via one common interface.





2N° IP Audio Manager

SW audio matrix and management system for 2N IP audio products

Creates audio streams through an IP network into different destinations

Automatic synchronization function ensures that there are no issues with time alignment or delay between any two speakers



Broadcast unique content to as many as 100 zones

Planner function for automatic broadcasting

Remote control of the entire system

2N® Net Audio



2N° Net Speaker

Active IP loudspeaker

Easy and quick installation thanks to PoE and its auto-discovery function

Connection available for a 2nd passive speaker

Hi-Fi quality audio



2N® Net Mic

IP based microphone console for live or preset announcements

Quick and easy installation using PoE support and the ability to connect anywhere across the network

Can set up 12 separate announcements in 12 zones including zone activity detection

Intuitive operability



2N® Net Audio Decoder

IP to analogue audio converter with integrated amplifier

Automatic content back-up in the case of a network outage using SD card support

Easy and quick installation using PoE and automatic network recognition

Hi-Fi quality audio

2N® Net Audio



2N® Net Audio Decoder Lite

IP Audio to analogue audio converter

Automatic content back up in the case of a network outage using SD card support

Easy and quick installation using automatic network recognition

Hi-Fi quality audio



2N® Net Audio Encoder

Analogue to IP audio converter

Quick and easy installation using PoE support and the ability to connect anywhere across the network

Digital input for connecting a paging button

Hi-Fi quality audio




AUDIO THROUGHOUT THE AMUSEMENT PARK

The system allows you to broadcast background music throughout the amusement park. Whenever a visitor comes into a given zone, they will hear sound related to that particular attraction.



Centralized playback of promotional messages or background music across multiple locations or branches. Centralized management of audio content allows for online monitoring, reporting about streamed music and back-up storage.



PUBLIC ADDRESS IN SCHOOLS

Net audio provides a broad range of everyday uses in all educational establishments. You can broadcast live or pre-recorded announcements, ring the school bell or play background music.

2N° SIP Audio



2N® SIP Speaker

SIP based loudspeaker for live or pre-recorded announcements

Seamless compatibility with video management software (VMS) and IP PBXs

Internal scheduler for broadcasting preset announcements

Easy installation with a single cable (PoE)




2N® SIP Speaker Horn

Outdoor IP speaker for live and preset announcements across large areas

Loudest IP based speaker on the market (SPLmax 124dB)


Seamless compatibility with video management software (VMS) and IP PBXs using ONVIF and SIP protocols

Easy installation with a single cable (PoE)




DOCTOR'S WAITING ROOM

It lets you play live or pre-recorded messages from an IP connected telephone. A nurse can thus easily make "next please" announcements and the like, right into the waiting room.



ANNOUNCEMENTS INTO PRODUCTION HALLS

Announcements into as many as 12 zones without having to install a server. You can broadcast specific content into individual zones or to the entire system.



In case an uninvited visitor gets in, you can immediately respond with a live or pre-set message directly from the VMS and swiftly put off an intruder.

2N° SIP Audio



2N® SIP Mic

SIP based paging console for live or preset anouncements

Announcements up to 12 zones using multicast support

Remote control of Door locks (or any 3rd party device) using http supported commands

Easy installation with a single cable (PoE)



2N® SIP Audio Converter

SIP Audio to analogue audio converter

Seamless compatibility with video management software (VMS) and IP PBXs using ONVIF and SIP support

Broadcasting sounds from Cisco devices using Informacast support


Simple API for system integrators



Ordering numbers, Accessories and other information

2N® Helios IP Verso





Accessories

Boxes		Backplates	
Flush-mounting box for 1 module	9155014	Backplate - 1 module	9155061
Flush-mounting box for 2 modules	9155015	Backplate - 2 modules	9155062
Flush-mounting box for 3 modules	9155016	Backplate - 3 modules	9155063
Other		Backplate - 2(w) x 2(h) modules	9155064
Extension cable - 1 m long	9155050	Backplate - 3(w) x 2(h) modules	9155065
Extension cable – 3 m long	9155054	Backplate – 2(w) x 3(h) modules	9155066
Extension cable - 5 m long	9155055	Backplate – 3(w) x 3(h) modules	9155067
Blind button	9155051		
Nametag foil	9155052		

2N® Helios IP Vario

Module with display Basic module



Extending modudules

8 button extender	9135181E
16 button extender	9135182E
Infopanel	9135310E

Accessories

Roofs and boxes		Other	
Roof for one module	9135331E	Infopanel name plate	9135311E
Roof for two modules	9135332E	Name plate	9135301E
Flush mount box for one module	9135351E	Double button name plate	9135302E
Flush mount box for two modules	9135352E	RFID card reader 125 kHz	9137430E
Roof and flush mount box for one module	9135361E	Additional switch	9137310E
Roof and flush mount box for two modules	9135362E		

Ordering numbers, Accessories and other information

2N® Helios IP Force



1 button

1 button keypad



4 buttons



2 buttons card reader ready



1 button + pictograms card reader ready



2 buttons - Info and SOS 10W speaker



1 button 10W speaker



Red emergency button 10W speaker

With HD camera 9151101CHW With camera 9151101CW Without camera 9151101W

9151101CHKW

9151101CKW 9151101KW

9151104CHW 9151104CW 9151104W

9151102CHRW 9151102CRW 9151102RW

9151101CHRPW 9151101CRPW 9151101RPW

9152102W

2N® Helios IP Safety

9152101W

9152101MW

2N® Helios IP Base



With camera black frame

9156111CB

2N® Helios IP Uni



1 button pictograms

9153101P



1 button

9153101



2 buttons

9153102

Accessories

Helios IP Force

Flush mount box

125 kHz RFID card reader + tamper switch	9151011
13,56 MHz card reader NFC ready + tamper switch	9151017
Secured card reader NFC ready 13.56MHz	9151019
Helios IP Force + Safety	

Additional switch + tamper switch 9151010

Flush mount box for mounting 9151002 in plasterboard

9151001

Helios IP Safety	
Frame	9152000
Helios IP Base	
125kHz Card Reader	9156030
13,56MHz RFID Card Reader reads UID	9156031
Backplate	9156020
Helios IP Uni	
Box for wall mounting	9153003

2Nº Indoor Touch 2Nº Mobile Video 2Nº Access Unit





Black / White variant

Application available





RFID

916009 (125kHz) 916010 (13.56MHz)

916013

91378365 / 91378365WH 91378366 (With WiFi) / 91378366WH (With WiFi)



2N[®] Access Commander 2N[®] Mobile Key





Application available

www.2n.cz



Application available on



Google Play Apple Store

Accessories

Indoor Touch

Presentation stand

91378382

License

Indoor Touch

(+25 users)

LDAP license

Unlocking license for uploading 91378390

Access Commander

License for 5 devices 91379040 License for Attendance 91379041

Access Unit

NFC License 916012

91379042

Ordering numbers, Accessories and other information

2N® Net Audio













2N® Net Audio Decoder

Decoder Lite

914075E

914031E (white)
914036B (black)

Wall Mounted
914033W (white)
914033B (black)

914071E

914010E

914013E

914035E (white + IR remote control support)

2N® IP Audio Manager



914202E

2N® IP Audio Web Scheduler

with: 5x Net Audio device license + 1x RTP license 2N* IP Audio Control panel 2N* IP Audio Console 2N* IP Audio Virtual Sound Card License

2N* IP Audio Manager - 1x 2N Net Audio device license

2N® IP Audio Manager, 1x RTP

icense

2N® IP Audio Web Scheduler license

914206

914205E

914204E

2N® SIP Audio



2N® SIP Audio Converter

914401E 914490E (set with speaker and microphone)



2N® SIP Speaker



2N® SIP Speaker Horn



2N® SIP Mic

914421B (white) 914421W (black)

914422E

914431E

Accessories

2N IP Audio Mounting set (2N® Net Audio Decoder, 914105E 2N® Net Audio Decoder Lite, 2N® SIP Audio Converter) 2N® Net Audio Encoder Rack mounting kit 914106E 2N® NetSpeaker IR Remote Controller (for 2N® Net Speaker, 914107E 2N® Net Audio Decoder a 2N® Net Audio Decoder Lite) 2N® Loud Speaker, wall mounted, black 914034B 914034W 2N® Loud Speaker, wall mounted, white 2N IP Audio Power Supply - EU plug 914102E 2N IP Audio Power Supply - UK plug 914102GB 2N IP Audio Power Supply - US plug 914102US 2N® SIP Speaker Horn Power Supply (24V EU plug) 914423E

License

2N® SIP Audio + Helios IP Informacast license

9137910

Other Accessories

Electrical strikes	
Electrical strike 11211 12V/230mA DC	932071E
Electrical strike 11221 hold-open 12V/230mA DC	932081E
Electrical strike 11211MB mechanical blocking 12V/230mA DC	932091E
Electrical strike 31211 fail-safe 12V/170mA	932072E
Electrical strike 211211 door signalling 12V/230mA	932061E
Electrical strike 321211 fail-safe, door signalling 12V/170mA	932062E
License	
License for G.729	9137902
Enhanced Audio	9137905
Enhanced Video	9137906
Enhanced Integration	9137907
Enhanced Security	9137908
Gold	9137909
License Informacast	9137910
License NFC	9137915

IP videophones	
Grandstream GXV 3275	91378358
Grandstream GXV 3240	91378357
RFID tags (for Verso, Vario and Force))
Card EMarine RFID 125 kHz	9134165E
Key EMarine RFID 125 kHz	9134166
Card Mifare RFID 13,56 MHz	9134173
Key Mifare RFID 13,56 MHz	9134174
External card reader RFID	
External card RFID 125 kHz EMarine	9137420E
External card RFID 13,56 MHz	9137421E
External card reader Wiegand 125 kHz EMarine RFID	9159030
External card reader Wiegand 13,56 MHz Mifare RFID	9159031

External antenna for Induction Loop module 9155043 2N* Helios IP Verso connection cable length 3m 9155054 2N* Helios IP Verso connection cable length 5m 9155055 2N* Helios IP Security Relay 9159010 2N* Helios IP Wiegand 9159011 2N* Induction Loop 9159050 External antenna 9159051 Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014US a 9159014US a 9159014UK Exit button 9159013 IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928 PoE Injector (EU/US plug) 91378100E a 91378100US	Other	
Iength 3m		9155043
length 5m 9155055 2N* Helios IP Security Relay 9159010 2N* Helios IP Wiegand 9159011 2N* Induction Loop 9159050 External antenna 9159051 Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014EU Exit button 9159014US a 9159014UK Exit button 9137410E IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928		9155054
2N* Helios IP Wiegand 9159011 2N* Induction Loop 9159050 External antenna 9159051 Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014EU Exit button 9159013 IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928		9155055
2N* Induction Loop 9159050 External antenna 9159051 Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014EU Exit button 9159014UK IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	2N® Helios IP Security Relay	9159010
External antenna 9159051 Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014US a 9159014UK Exit button 9159013 IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	2N® Helios IP Wiegand	9159011
Power supply 12V/1A 9159052 2N* 2Wire (plug EU/US/UK) 9159014EU 9159014US a 9159014UK Exit button 9159013 IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	2N® Induction Loop	9159050
2N* 2Wire (plug EU/US/UK) Exit button 1P relay - 1 output 1P relay - 4 output Magnetic contact Power supply 12V/2A Transformer 9159014US a 9159014UK 9159014US a 9159014UK 9137410E 9137411E 9159012 932928	External antenna	9159051
2N* 2Wire (plug EU/US/UK) 9159014US a 9159014UK Exit button 9159013 IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	Power supply 12V/1A	9159052
IP relay - 1 output 9137410E IP relay - 4 output 9137411E Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	2N* 2Wire (plug EU/US/UK)	
P relay - 4 output 9137411E	Exit button	9159013
Magnetic contact 9159012 Power supply 12V/2A 91341481E Transformer 932928	IP relay - 1 output	9137410E
Power supply 12V/2A 91341481E Transformer 932928	IP relay - 4 output	9137411E
Transformer 932928	Magnetic contact	9159012
	Power supply 12V/2A	91341481E
PoE Injector (EU/US plug) 91378100E a 91378100US	Transformer	932928
	PoE Injector (EU/US plug)	91378100E a 91378100US









HOME AUTOMATION






























exacq

ONVIF S

SIP AND HTTP(S) API







www.cie-group.com



+44(0)115 977 0075



info@cie-group.com



CIE-Group Ltd 3 Widdowson Close, Blenheim Industrial Estate Bulwell, Nottingham NG6 8WB